

State of New Hampshire
Department of Safety
Division of Emergency Medical Services

RECOMMENDED ALS LEVEL MINIMUM EQUIPMENT LIST
PARAMEDIC LEVEL

____ 1 Portable Defibrillator

____ Battery power ____ strip writer or capability to produce hard copy

____ charging capacity of 360 joules ____ replacement battery(ies) ____ or recharge adapter

2 SETS OF PADDLES: 1 each to include paddles sizes of: ____ 15 and ____ 54 square centimeters

____ 1 Esophageal Airway Set

____ 1 syringe sized at 30-35 millimeters ____ 1 mask ____ 1 Esophageal tube

____ 2 Sterile, 500 milliliters of fluid, Containers of Normal Saline or Lactated Ringer's Solution

Unexpired effective date _____

____ Intravenous Infusion

____ 2 sterile macrodrip sets ____ 2 sterile microdrip sets

____ 2 sterile intravenous catheters, in each size ____ 14 ____ 16 ____ 18 ____ 20 ____ 22

____ 1 intravenous tourniquet to accommodate sizes infant, child and adult

____ 1 Newborn Blood Pressure Cuff

____ 2 Meconium Aspirator Adapters (devices used to convert bulb syringes into suction instruments)

____ Drug Dosage Determination Material

____ drug dosage tape (reference chart labeled with drug amounts by age group and body weight)

____ age/weight reference chart

____ 1 Laryngoscopy Set

____ 1 handle ____ 1 extra set of batteries and bulbs

1 straight blade for sizes ____ 0 ____ 1 ____ 2 ____ 3 ____ 4 1 curved blade for sizes ____ 3 ____ 4

____ 1 Uncuffed Endotracheal Tube for each of the following sizes:

____ 2.0 ____ 3.0 ____ 4.0

____ 2.5 ____ 3.5 ____ 4.5 ____ 1 stylet

____ 2 Cuffed Endotracheal Tubes for each of the following sizes:

____ 5.0 ____ 6.5 ____ 7.5 ____ 8.5

____ 6.0 ____ 7.0 ____ 8.0 ____ 9.0 ____ 1 stylet

____ 1 Endotracheal Suctioning Accessories, stored in sterile plastic container containing:

____ Sterile solution

____ Sterile gloves

____ Medication Administration Equipment

____ 2 needles in each gauge size: ____ 21 ____ 25

____ 2 syringes in each cubic centimeter size: ____ 1 ____ 5 ____ 10 ____ 20

____ 2 intravenous catheters in each gauge size: ____ 14 ____ 16 ____ 18 ____ 20 ____ 22 ____ 24

____ 2 10 milliliters of fluid containers of sterile sodium chloride for injection

Unexpired effective date: _____

____ 1 fluid warmer to warm medications and fluids (insulated bag or compartment in vehicle)

____ Magill Forceps 1 pair for each: ____ Child ____ Adult